




AKVATERM

HEAT EXCHANGER COILS




1 TUBE
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 3/4"

35 L
2,3 L
90 kW
9,4 m
2,34 m²




1 TUBE
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 3/4"

45 L
3,0 L
110 kW
12,2 m
3,03 m²





2 TUBES
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 1"

60 L
4,6 L
150 kW
2x9,4 m
4,68 m²




2 TUBES
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 1"

60 L
4,6 L
150 kW
2x9,4 m
4,68 m²




3 TUBES
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 1 1/4"

80 L
6,9 L
205 kW
3x9,4 m
7,05 m²




4 TUBES
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 1 1/2"

100 L
9,2 L
255 kW
4x9,4 m
9,36 m²



5 TUBES
FINNED COPPER
VOLUME
POWER
TUBE LENGTH
SURFACE AREA
CONNECTION 2"

120 L
11,5 L
310 kW
5x9,4 m
11,70 m²



AKVATERM

W A R M H O M E

AKVATERM OY • Jänismaantie 12 • FI-67800 Kokkola • FINLAND

Tel. +358 (0)6 824 4200 • Fax +358 (0)6 824 4224

info@akvaterm.fi • www.akvaterm.fi

Akvaterm Oy/RL 16.10.2012